



Sunderland

This profile was produced on 2 June 2015

Local Alcohol Profile 2015

Introduction

Alcohol use has health and social consequences borne by individuals, their families, and the wider community. The aim of these profiles is to provide information for local government, health organisations, commissioners and other agencies to monitor the impact of alcohol on local communities, and to monitor the services and initiatives that have been put in place to prevent and reduce the harmful impact of alcohol.

Reducing harmful drinking is one of seven priority areas that Public Health England is focusing efforts on securing improvement. The indicators contained within the web-tool were selected following consultation with stakeholders and a review of the availability of routine data. The Local Alcohol Profiles for England (LAPE) are part of a series of products by Public Health England that provide local data alongside national comparisons to support local health improvement.

For further information about each indicator please view the definitions tab within the tool at <http://fingertips.phe.org.uk/profile/local-alcohol-profiles>. For further information on alcohol and health please visit <http://www.lape.org.uk>.

Spine Charts

Mortality	Page 2
Hospital Admissions	Page 2
Hospital Admissions - Cause groups	Page 3
Other Impacts	Page 4

Tartan Rugs

Mortality	Page 5
Hospital Admissions	Page 5
Hospital Admissions - Cause groups	Page 6
Other Impacts	Page 8

Bar Charts

Mortality	Page 9
Hospital Admissions	Page 11
Hospital Admissions - Cause groups	Page 13
Other Impacts	Page 16

Trends

Mortality	Page 17
Hospital Admissions	Page 19
Hospital Admissions - Cause groups	Page 21



Contains OS data © Crown copyright and database rights 2015
OpenStreetMap contributors ODbL

Produced by Public Health England.

For enquiries please contact KITNorthWest@phe.gov.uk or call us on 0151 231 4535.

Spine Charts

Mortality

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
1	1.01 - Months of life lost due to alcohol (Male)	2011 - 13	18.4	12.0	6.1	28.0
2	1.01 - Months of life lost due to alcohol (Female)	2011 - 13	7.9	5.6	13.5	2.8
3	2.01 - Alcohol-specific mortality (Persons)	2011 - 13	21.7	11.9	31.2	3.4
4	2.01 - Alcohol-specific mortality (Male)	2011 - 13	31.9	16.6	44.5	3.6
5	2.01 - Alcohol-specific mortality (Female)	2011 - 13	12.1	7.5	29.9	1.6
6	3.01 - Mortality from chronic liver disease (Persons)	2011 - 13	15.8	11.7	31.7	3.3
7	3.01 - Mortality from chronic liver disease (Male)	2011 - 13	22.2	15.5	44.8	2.4
8	3.01 - Mortality from chronic liver disease (Female)	2011 - 13	9.9	8.2	23.7	0.0
9	4.01 - Alcohol-related mortality (Persons)	2013	55.1	45.3	83.6	27.9
10	4.01 - Alcohol-related mortality (Male)	2013	88.8	65.4	117.3	38.5
11	4.01 - Alcohol-related mortality (Female)	2013	26.9	28.4	68.7	14.8


Hospital Admissions

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
12	5.01 - Alcohol-specific hospital admission - under 18s	2011/12 - 13/14	86.6	40.1	105.8	11.2
13	6.01 - Alcohol-specific hospital admission (Persons)	2013/14	525	374	1074	131
14	6.01 - Alcohol-specific hospital admission (Male)	2013/14	722	515	1494	170
15	6.01 - Alcohol-specific hospital admission (Female)	2013/14	341	241	658	77
16	7.01 - Alcohol-related hospital admission (Broad) (Persons)	2013/14	1453	1253	2070	731
17	7.01 - Alcohol-related hospital admission (Broad) (Male)	2013/14	2011	1715	2820	1011
18	7.01 - Alcohol-related hospital admission (Broad) (Female)	2013/14	990	859	1386	498
19	8.01 - Alcohol-related hospital admission (Narrow) (Persons)	2013/14	540	444	808	264
20	8.01 - Alcohol-related hospital admission (Narrow) (Male)	2013/14	750	594	1049	338
21	8.01 - Alcohol-related hospital admission (Narrow) (Female)	2013/14	355	310	583	190
22	9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)	2013/14	2523	2111	3493	1115
23	9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)	2013/14	3530	2917	4848	1582
24	9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)	2013/14	1684	1426	2392	727
25	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)	2013/14	967	645	1231	366

Key

Significance compared to England average:

- Significantly worse
- Significance not tested
- Not significantly different
- ◆ Regional average
- Significantly better



Hospital Admissions continued		Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
26	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)	2013/14	1293	835	1538		474
27	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)	2013/14	677	475	940		262

Hospital Admissions - Cause groups

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best	
28	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)	2013/14	293.7	175.8	368.2		71.4
29	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)	2013/14	281.8	177.0	438.9		63.7
30	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)	2013/14	306.6	176.5	380.5		58.8
31	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)	2013/14	1006	1049	1706		550
32	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)	2013/14	1501	1524	2575		842
33	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)	2013/14	637	673	1129		307
34	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)	2013/14	614	394	1296		111
35	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)	2013/14	891	579	1894		161
36	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)	2013/14	355	218	706		63
37	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)	2013/14	205.9	105.3	245.6		18.7
38	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)	2013/14	314.3	147.1	351.8		27.1
39	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)	2013/14	104.0	65.8	272.9		16.9
40	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)	2013/14	265.6	150.7	359.9		49.8
41	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)	2013/14	259.0	154.7	404.7		47.8
42	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)	2013/14	274.9	149.3	352.3		39.3
43	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)	2013/14	142.6	141.8	223.9		96.6
44	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)	2013/14	219.0	215.2	351.3		142.5
45	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)	2013/14	73.4	74.2	107.5		49.9
46	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)	2013/14	214	87	222		17
47	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)	2013/14	310	124	310		21

Key

Significance compared to England average:

- Significantly worse
- Not significantly different
- Significantly better
- Significance not tested
- ◆ Regional average



Sunderland

Hospital Admissions - Cause groups continued		Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
48	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)	2013/14	124	52	152		10
49	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)	2013/14	50.2	58.6	254.1		11.1
50	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)	2013/14	51.4	52.0	269.1		7.1
51	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)	2013/14	49.6	65.4	239.1		10.1

Other Impacts

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best	
52	11.01 - Claimants of benefits due to alcoholism	2014	237.0	131.0	528.3		15.7

Key

Significance compared to England average:

- Significantly worse
- Not significantly different
- Significantly better
- Significance not tested
- ◆ Regional average

