

HWBB - PERFORMANCE INDICATOR DASHBOARD

INDICATOR	GOVERNANCE	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT*	RAG Trend	Corporate measure
			CURRENT	PREVIOUS					
Male healthy life expectancy at birth	HWBB	2016-18	57.9		59.4	63.4	n/a		✓
Female healthy life expectancy at birth	HWBB	2016-18	56.5		59.7	63.9	n/a		✓
Male life expectancy at birth	HWBB	2016-18	77.2		77.9	79.6	n/a		✓
Female life expectancy at birth	HWBB	2016-18	81.4		81.7	83.2	n/a		✓
Inequality in life expectancy at birth (male)	HWBB	2016-18	11.5		11.8	9.5	n/a		✗
Inequality in life expectancy at birth (female)	HWBB	2016-18	8.5		9.3	7.5	n/a		✗
STARTING WELL									
Smoking status of mothers at time of delivery	BSIL	2018/19	18.3%	17.5%	15.7%	10.6%	↔		✓
Breastfeeding continuation - prevalence at 6-8 weeks after giving birth (current method)	BSIL	2018/19	25.9%	24.6%	33.6%	46.2%	n/a		✓
Children eligible for free school meals achieving a good level of development (GLD) at the end of Reception	BSIL	2018/19	62.6%	56.3%	57.7%	56.5%	↑		✗
Proportion of children aged 4-5 years (end of Reception) classified as overweight or obese	Healthy weight	2018/19	24.4%	25.5%	24.3%	22.6%	↔		✓
Proportion of children aged 10-11 (Year 6) classified as overweight or obese	Healthy weight	2018/19	39.2%	40.9%	37.5%	34.3%	↔		✓
Hospital admissions for alcohol specific conditions in under 18s (per 100k population)	Alcohol	16/17-18/19	85.8	92.6	60.0	31.6	n/a		✓
Smoking prevalence at age 15- current smokers	Tobacco	2014/15	11.6%		10.1%	8.2%	n/a	n/a	✗
Proportion of children in low income families aged under 16	Wider determinant	2019	24.3%	23.3%		19.7%	n/a	n/a	-
Teenage pregnancy (under 18 conception rate) per 1,000 of the under 18 population	Young people 11-19	2018	29.0	25.7	24.9	16.7	↔		✓
Hospital admissions for mental health conditions in under 18 year olds (per 100k population)	Young people 11-19	2018/19	183.3	159.8	105.7	88.3	↔		✗
School pupils with social, emotional and mental health needs: % of school pupils with social, emotional and mental health needs (School age)	Young people 11-19	2018	3.08%	3.10%	2.77%	2.39%	n/a		✗
Proportion of 16/17 year olds not in education, employment or training (NEET)	Wider determinant	2018	14.9%	9.4%	6.5%	5.5%	n/a		-
LIVING WELL									
Proportion of the population aged 16-64 qualified to at least NVQ Level 4 or higher	Wider determinant	2019	27.4%	25.0%	31.9%	33.0%	↑		✓
Admission episodes for alcohol-related conditions (Broad measure) per 100k population	Alcohol	2018/19	3197	3012	2927	2367	↑		✓
Prevalence of smoking among persons aged 18 and over	Tobacco	2019	16.0%	20.2%	15.3%	13.9%	n/a		✓
Smoking prevalence in routine and manual workers	Tobacco	2019	25.7%	28.5%	24.3%	23.2%	n/a		✗
Percentage of adults aged 18 and over classified as overweight or obese	Healthy weight	2018/19	66.0%	69.2%	64.9%	62.3%	n/a		✓
Proportion of people aged 16 and over with a high anxiety score according to a self-reported wellbeing indicator	Mental health and wellbeing	2018/19	26.0%	21.2%	20.2%	19.7%	n/a		✓
Percentage of people aged 16-64 in employment	Wider determinant	2018/19	70.0%	71.8%	71.1%	75.6%	↑		✓
Gap in employment between those with a long-term health condition and the overall employment rate	Healthy Economy	2018/19	13.7%	14.3%	14.1%	11.5%	↓		✗
Gap in employment between those in secondary mental health services and the overall employment rate	Healthy Economy	2018/19	62.0%	64.8%	62.1%	67.6%	n/a		✗
Gap in employment between those with a learning disability and the overall employment rate	Healthy Economy	2018/19	65.7%	66.4%	65.9%	69.7%	n/a		✗
Percentage of households that experience fuel poverty	Wider determinant	2018	9.2%	12.6%	9.5%	10.3%	↔		✓

AGEING WELL									
Social Isolation: percentage of adult social care users who have as much social contact as they would like (18+ yrs)	Mental health and wellbeing	2018/19	48.8	52.5%	49.3	45.9	n/a		✖
Emergency hospital admissions due to falls in people aged 65 and over	Ageing well	2018/19	2403	2364	2378	2198	↔		✓
Mortality rate from causes considered preventable per 100k population	Ageing well	2016-18	232.6	234.7	223.9	180.8	n/a		✖
Hip fractures in people aged 65 and over per 100k	Ageing well	2018/19	639	691	616	558	↔		✖
Estimated dementia diagnosis rate (aged 65 and over)	Ageing well	2020	69.2%	70.5%	73.3%	67.4%	n/a		✖
Excess winter deaths index (age 85+)	Ageing well	Aug 17 - Jul 18	48.1%	28.9%	45.8%	41.1%	n/a		✖

DOT - Direction of Travel*	
↔	No change
↑	Increasing, getting worse
↑	Increasing, getting better
↓	Decreasing, getting worse
↓	Decreasing, getting better
n/a	Trend not identified/no trend

RAG Trend	
	Getting better
	Relatively stable
	Getting worse

*Direction of Travel is determined by the trend of the last five years (PHE tool).

BEST START IN LIFE

INDICATOR*	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT (PHE)
		CURRENT	PREVIOUS			
Under 18 conception rate per 1,000 of the female population age 15-17 (teenage pregnancy)	2018	29.0	25.7	24.9	16.7	↔
Smoking status of mothers at time of delivery	2019/20	18.3%	17.5%	15.7%	10.6%	↔
Breastfeeding continuation - prevalence at 6-8 weeks after giving birth (current method)	2018/19	25.9%	24.6%	33.6%	46.2%	n/a
Children eligible for free school meals achieving a good level of development (GLD) at the end of Reception	2018/19	62.6%	56.3%	57.7%	56.5%	↑
Population vaccination coverage - MMR for one dose (2 years old)	2018/19	95.3%	92.7%	94.5%	90.3%	↓
Hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years	2018/19	204.0	201.5	166.9	123.1	↔
Percentage of five year olds with experience of visually obvious dental decay	2019/20	32.5%	28.4%	23.3%	23.4%	n/a
Proportion of children aged 4-5 years (end of reception) classified as overweight or obese	2018/19	24.4%	25.5%	24.3%	22.6%	↔

SOURCE - Public Health Profile
Sexual and Reproductive Health Local Tobacco Control Child and Maternal Health Child and Maternal Health Child and Maternal Health Child and Maternal Health Child and Maternal Health Child and Maternal Health

**Suggested indicators - decision of which indicators to monitor lies with the working group*

YOUNG PEOPLE 11-19

INDICATOR*	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT (PHE)	SOURCE (Public Health Profile)
		CURRENT	PREVIOUS				
Under 18 conception rate per 1,000 female population aged 15-17 (teenage pregnancy)	2018	29.0	25.7	24.9	16.7	↔	Sexual and Reproductive Health - Teenage pregnancy
Children in the Youth Justice System aged 10-18 years old	2017/18	6.2%	7.6%	6.1%	4.5%	↓	Wider Determinants of Health
HPV vaccination coverage in 12-13 year olds	2018/19	93.8%	84.7%	86.3%	88.0%	↔	Child and Maternal Health - Young people
Chlamydia detection rate per 100k population aged 15-24	2019	1,791	1,704	1,869	2,043	↔	Sexual and Reproductive Health
Smoking prevalence at age 15- current smokers	2014/15	11.6%		10.1%	8.2%	n/a	Child and Maternal Health - Young people
School pupils with social, emotional and mental health needs: % of school pupils with social, emotional and mental health needs (School age)	2018	3.08%	3.10%	2.77%	2.39%	n/a	Children and Young People's Mental Health and Wellbeing
Hospital admissions as a result of self-harm in 10-14 year olds (per 100k population)	2018/19	329.3	257.0	227.3	226.3	↓	Child and Maternal Health - Young people
Hospital admissions as a result of self-harm in 15-19 year olds (per 100k population)	2018/19	834.6	596.1	831.5	659.5	↔	Child and Maternal Health - Young people
Hospital admissions for mental health conditions in under 18 year olds (per 100k population)	2018/19	183.3	159.8	105.7	88.3	↔	Crisis Care
Hospital admissions for alcohol specific conditions in under 18s (per 100k population)	16/17-18/19	85.8	92.6	60.0	31.6	n/a	Child and Maternal Health - Young people
Hospital admissions due to substance misuse in 15-24 year olds (per 100k population)	16/17-18/19	100.4	99.1	117.8	83.1	n/a	Child and Maternal Health - Young people
Proportion of 16-17 year olds not in education, employment or training (NEET), or activity is unknown	2018	14.9%	9.4%	6.5%	5.5%	n/a	Child and Maternal Health - Young people

*Suggested indicators - decision of which indicators to monitor lies with the working group

SMOKE FREE SUNDERLAND

INDICATOR	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT
		CURRENT	PREVIOUS			
Women who smoke at time of delivery	2018/19	18.3%	17.5%	15.7%	10.6%	↔
Smoking prevalence in adults with a long term mental health condition (18+) - current smokers (GPPS)	2018/19	33.3%	27.9%	25.4%	26.8%	n/a
Smoking prevalence in adults (18+) - current smokers	2019	16.0%	20.2%	15.3%	13.9%	n/a
Smoking Prevalence in adults in routine and manual occupations (18-64) - current smokers	2019	25.7%	28.5%	24.3%	23.2%	n/a
Smokers that have successfully quit at 4 weeks (CO validated) per 100k aged 16+	2018/19	1915	2096	2250	1326	n/a
Smoking attributable hospital admissions per 100k of the population age 35+	2018/19	3,036	2,914	2,346	1,612	↔
Smoking attributable mortality (per 100k population)	2016-18	371.8	386.8	327.9	250.2	n/a

SOURCE
Child and Maternal Health
Local Tobacco Control
Local Tobacco Control
Local Tobacco Control
Local Tobacco Control
Local Tobacco Control
Local Tobacco Control

**Suggested indicators - decision of which indicators to monitor lies with the working group*

ADDRESSING ALCOHOL HARMS

INDICATOR	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT
		CURRENT	PREVIOUS			
Hospital admissions for alcohol specific conditions in under 18s (per 100k population)	16/17-18/19	85.8	92.6	60.0	31.6	n/a
Percentage of adults consuming more than 14 units of alcohol in an average week	2011-2014	28.9%	n/a	30.3%	25.7%	n/a
Percentage of dependent drinkers	2011-2014	2.1%	n/a	1.7%	1.4%	n/a
Hospital admission episodes for mental and behavioural disorders due to use of alcohol per 100k population (broad)	2018/19	713	666	573	412	↑
Hospital episodes for alcohol-related unintentional injuries per 100k population (narrow)	2018/19	146.9	144.2	175.2	152.5	↔
Hospital admissions for alcohol-related conditions per 100k population (broad)	2018/19	3,197	3,012	2,927	2,367	↑
Hospital admissions for alcohol-specific conditions per 100k population	2018/19	1,078	984	909	626	↑
Mortality from chronic liver disease (per 100k population)	2016-2018	20.7	22.2	17.8	12.1	n/a
Alcohol related mortality (per 100k population)	2018	57.6	67.8	57.1	46.5	↔
Alcohol specific mortality (per 100k population)	2016-2018	18.0	21.4	15.7	10.8	n/a

SOURCE (Public Health profile)
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile
Local Alcohol Profile

**Suggested indicators - decision of which indicators to monitor lies with the working group*

HEALTHY WEIGHT

INDICATOR	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT
		CURRENT	PREVIOUS			
Percentage of physically active children and young people	2018/19	45.0%	32.3%	45.5%	46.8%	n/a
Percentage who eat 5 or more portions of fruit and veg per day at age 15	2014/15	44.4%	n/a	46.8%	52.4%	n/a
Prevalence of overweight (including obese) children in Reception	2018/19	24.4%	25.5%	24.3%	22.6%	↔
Prevalence of overweight (including obese) children at the end of Year 6	2018/19	39.2%	40.9%	37.5%	34.3%	↔
Proportion of the adult population meeting the recommended '5-a-day' on a 'usual day'	2018/19	49.5%	54.5%	53.9%	54.6%	n/a
Percentage of physically active adults (18+)	2018/19	59.5%	60.1%	64.9%	67.2%	n/a
Percentage of physically inactive adults (18+)	2018/19	28.7%	28.0%	23.8%	21.4%	n/a
Percentage of adults walking for travel at least three days per week	2017/18	20.1%	16.3%	19.3%	23.1%	n/a
Percentage of adults cycling for travel at least three days per week	2017/18	2.6%	0.7%	1.7%	3.2%	n/a
Percentage of adults (18+) classified as overweight or obese	2018/19	66.0%	69.2%	64.9%	62.3%	n/a

SOURCE (Public Health profile)
Physical Activity
Child and Maternal Health
Child and Maternal Health
Child and Maternal Health
Public Health Outcomes
Physical Activity
Physical Activity
Physical Activity
Public Health Outcomes

**Suggested indicators - decision of which indicators to monitor lies with the working group*

HEALTHY ECONOMY

INDICATOR	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT
		CURRENT	PREVIOUS			
Proportion of 16/17 year olds not in education, employment or training (NEET)	2018	14.9%	9.4%	6.5%	5.5%	n/a
Gap in employment between those with a long-term health condition and the overall employment rate	2018/19	13.7%	14.3%	14.1%	11.5%	↓
Gap in employment between those in secondary mental health services and the overall employment rate	2018/19	62.0%	64.8%	62.1%	67.6%	n/a
Proportion of supported working age adults with a learning disability in paid employment	2018/19	3.9%	5.4%	5.2%	5.9%	↔
Gap in employment between those with a learning disability and the overall employment rate	2018/19	65.7%	66.4%	65.9%	69.7%	n/a

**Suggested indicators - decision of which indicators to monitor lies with the working group*

SOURCE (Public Health profile)
Wider Determinants of Health
Wider Determinants of Health
Wider Determinants of Health
Learning Disability Profile
Learning Disability Profile

MENTAL HEALTH AND WELLBEING

INDICATOR	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT
		CURRENT	PREVIOUS			
School pupils with social, emotional and mental health needs: % of school pupils with social, emotional and mental health needs (School age)	2018	3.08%	3.10%	2.77%	2.39%	n/a
Hospital admissions for mental health conditions in under 18 year olds (per 100k population)	2018/19	183.3	159.8	105.7	88.3	↔
Proportion of people aged 16 and over with a high anxiety score according to a self-reported wellbeing indicator	2018/19	26.0%	21.2%	20.2%	19.7%	n/a
Estimated prevalence of common mental disorders: % population aged 16 and over	2017	19.3%	n/a	n/a	16.9%	n/a
ESA claimants for mental and behavioural disorders: rate per 1,000 working age population	2018	44.8%	42.8%	36.4%	27.3%	n/a
Smoking prevalence in adults with anxiety or depression (18+) - current smokers	2016/17	26.6%	31.4%	26.0%	25.8%	n/a
Proportion of adults in contact with secondary mental health services	2014/15	6.0%	5.7%	5.5%	5.4%	n/a
Hospital admissions for mental and behavioural disorders due to use of alcohol per 100k population (narrow)	2018/19	170.1	164.5	119.8	75.6	↔
Suicide rate per 100k population	2017-19	12.4	11.1	11.6	10.1	n/a
Social Isolation: percentage of adult social care users who have as much social contact as they would like (18+ yrs)	2018/19	48.8	52.5%	49.3	45.9	n/a
Estimated prevalence of common mental disorders: % population aged 65 and over	2017	12.1%	n/a	n/a	10.2%	n/a

SOURCE (Public Health profile)
Children and Young People's Mental Health and Wellbeing
Children and Young People's Mental Health and Wellbeing
Public Health Outcomes
Common Mental Health Disorders
Mental Health and Wellbeing JSNA
Mental Health and Wellbeing JSNA
Mental Health and Wellbeing JSNA
Mental Health and Wellbeing JSNA
Mental Health and Wellbeing JSNA
Productive Healthy Ageing
Common Mental Health Disorders

**Suggested indicators - decision of which indicators to monitor lies with the working group*

AGEING WELL

INDICATOR	PERIOD	SUNDERLAND		REGION	ENGLAND	DOT
		CURRENT	PREVIOUS			
Percentage of households in fuel poverty	2018	9.2%	12.6%	9.5%	10.3%	↔
Percentage of people aged 65+ receiving winter fuel payments	2018/19	97.4%	96.8%	96.6%	96.6%	↑
Social isolation: percentage of adult social care users who have as much social contact as they would like (65+)	2018/19	48.8%	49.6%	48.4%	43.5%	↔
Percentage of adult social care users satisfied with care and support services (65+)	2018/19	67.6%	74.0%	63.2%	61.8%	n/a
Percentage of adult social care users who feels they have control over their daily lives (65+)	2018/19	72.5%	78.6%	76.7%	74.4%	↔
Estimated prevalence of common mental disorders: % population aged 65 and over	2017	12.1%	n/a	11.3%	10.2%	n/a
Estimated dementia diagnosis rate in people aged 65 and over	2020	69.2%	70.5%	73.3%	67.4%	n/a
Emergency hospital admissions due to falls in people aged 65 and over (per 100k population)	2018/19	2,403	2,364	2,378	2,198	↔
Emergency hospital admissions due to falls in people aged 80 and over (per 100k population)	2018/19	5,931	5,796	5,728	5,543	↔
Hip fractures in people aged 65 and over	2018/19	639	691	616	558	↔
Care homes beds per 100 people aged 75+	2020	10.4	10.6	11.0	9.6	↔
Excess winter deaths (85+)	2017/18	48.1%	28.9%	45.8%	41.1%	n/a

SOURCE (Public Health profile)
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing
Productive Healthy Ageing

**Suggested indicators - decision of which indicators to monitor lies with the working group*